

Extension estimates for Oregon forage and turf grass seed crop production (000 lbs.), 2006¹.

| County/District | Annual ryegrass | Perennial ryegrass | Tall fescue | Kentucky bluegrass | Rough bluegrass | Orchard-grass | Chewings fescue | Red fescue | Hard fescue | Colonial bentgrass | Creeping bentgrass | Total pounds |
|-----------------------------|-----------------|--------------------|----------------|--------------------|-----------------|---------------|-----------------|--------------|--------------|--------------------|--------------------|----------------|
| Benton | 23,750 | 10,660 | 15,225 | | | 3,325 | | | | | 390 | 53,350 |
| Clackamas | | 7,200 | 5,100 | | | | 360 | | | | | 12,660 |
| Lane | 18,685 | 10,020 | 11,745 | | | 935 | | | | | | 41,385 |
| Linn | 175,560 | 71,000 | 53,505 | | | 3,990 | 1,485 | 428 | | 602 | 468 | 307,038 |
| Marion | 5,700 | 75,200 | 27,200 | | | 450 | 6,890 | 2,250 | 638 | 990 | 1,755 | 121,073 |
| Polk | 17,640 | 21,000 | 40,600 | | | 4,230 | | | | | | 83,470 |
| Washington | | 10,220 | 32,250 | | | | | | | | | 42,470 |
| Yamhill | 5,400 | 26,040 | 43,500 | | | 1,440 | | | | | | 76,380 |
| Northwest District | 246,735 | 231,340 | 229,125 | | | 14,370 | 8,735 | 2,678 | 638 | 1,592 | 2,613 | 737,826 |
| Umatilla | | 5,911 | 8,888 | 6,732 | | | | | | | | 21,531 |
| Union | | | | 5,917 | | | 738 | 1,830 | | | | 8,485 |
| Northeast District | | 5,911 | 8,888 | 12,649 | | | 738 | 1,830 | | | | 30,016 |
| Jefferson | | | | 8,317 | 2,212 | | | | | | | 10,529 |
| Southeast District | | | | 8,317 | 2,212 | | | | | | | 10,529 |
| Morrow | | 3,938 | 550 | 1,500 | | | | | | | | 5,988 |
| Northcentral District | | 3,938 | 550 | 1,500 | | | | | | | | 5,988 |
| Other Counties ² | 1,400 | 180 | 220 | 157 | 71 | 209 | 552 | 549 | 528 | 161 | 496 | 4,523 |
| Oregon | 248,135 | 241,369 | 238,783 | 22,623 | 2,283 | 14,579 | 10,025 | 5,057 | 1,166 | 1,753 | 3,109 | 788,882 |

¹Data collected by the Extension Economic Information Office, Oregon State University, and compiled by William C. Young III, Extension Agronomist, Department of Crop and Soil Science, OSU.

²If there are less than three growers or if one grower represents 60% or more of the data, the data are confidential.