

Extension estimates for Oregon forage and turf grass seed crop acreage, 2016.¹

| County/District | Annual ryegrass | Perennial ryegrass | Tall fescue | Kentucky bluegrass | Rough bluegrass | Orchard-grass | Chewings fescue | Red fescue | Hard fescue | Colonial bentgrass | Creeping bentgrass | Total acres |
|-----------------------|-----------------|--------------------|----------------|--------------------|-----------------|---------------|-----------------|--------------|--------------|--------------------|--------------------|----------------|
| Benton | 11,500 | 2,500 | 14,560 | | | 3,060 | 140 | 120 | | 200 | 450 | 32,530 |
| Clackamas | 380 | 4,000 | 4,650 | | | 170 | 210 | 290 | 60 | 100 | 360 | 10,220 |
| Lane | 8,080 | 1,800 | 7,140 | | | 1,950 | 60 | | | 150 | 300 | 19,480 |
| Linn | 84,570 | 18,600 | 29,700 | | | 3,570 | 1,340 | 2,430 | 200 | 1,650 | 600 | 142,660 |
| Marion | 1,700 | 37,200 | 20,150 | | | 530 | 5,900 | 3,750 | 820 | 980 | 2,150 | 73,180 |
| Multnomah | | 700 | 590 | | | | | | | | | 1,290 |
| Polk | 5,600 | 6,580 | 17,500 | | | 3,000 | 30 | | | | | 32,710 |
| Washington | 300 | 3,350 | 17,120 | | | 330 | | | | | | 21,100 |
| Yamhill | 3,100 | 11,800 | 23,530 | | | 720 | | | | | | 39,150 |
| Northwest District | 115,230 | 86,530 | 134,940 | | | 13,330 | 7,680 | 6,590 | 1,080 | 3,080 | 3,860 | 371,920 |
| Umatilla | | 7,300 | | 3,070 | | | 90 | 190 | 760 | | | 11,410 |
| Union | | | 80 | 8,530 | | | 680 | 2,360 | 60 | | | 11,710 |
| Northeast District | | 7,300 | 80 | 11,600 | | | 770 | 2,550 | 820 | | | 23,120 |
| Jefferson | | | | 5,490 | 1,030 | | | 20 | | | | 6,540 |
| Southeast District | | | | 5,490 | 1,030 | | | 20 | | | | 6,540 |
| Morrow | 260 | 1,300 | | 1,190 | | | | | 570 | | | 3,320 |
| Northcentral District | 260 | 1,300 | | 1,190 | | | | | 570 | | | 3,320 |
| Oregon | 115,490 | 95,130 | 135,020 | 18,280 | 1,030 | 13,330 | 8,450 | 9,160 | 2,470 | 3,080 | 3,860 | 405,300 |

¹Data collected by the Nicole Anderson, Mark Mellbye, Ruijun Qin, Clare Sullivan, Carol Tollefson and Darrin Walenta, Oregon State University, and compiled by Nicole Anderson, Extension Field Crops Agronomist, Department of Crop and Soil Science, OSU.