

Slime and punishment

Voracious slugs and snails are no match for an integrated battle plan



CURT KIPP

No matter how small, gastropods such as this amber snail (*Oxyloma* sp.), shown crawling next to a dime, can cause huge headaches for growers. There are many ways these pests can be managed and eliminated.

By Robin Rosetta

Few creatures are held with such revile by horticulturists as those pests who destroy our plants, profits and peace of mind. Add slime, and even gentle souls grab weapons of mass destruction.

When living in harmony with snails and slugs is no longer an option, plant protectors have several tactics at their

disposal to dispense with these phytophagous adversaries.

Snails and slugs are mollusks, and are loosely related to octopi and oysters. Their particular taxonomic class is called gastropoda (from the Latin roots *gastro*, meaning stomach, and *poda*, meaning foot). Depending on the species, these animals are well adapted to devouring a range of foodstuffs, includ-

ing living and dead plants, fungi, small dead animals, and sometimes, live prey.

Slugs and snails are really the same animals. Slug evolution diminished their shell to a legacy of a shell hidden underneath their hump-like mantle. This adaptation enabled slugs to move through tight spaces and down into the soil, where they find both refuge and food.

Snails are hampered from such movement, but instead use their shells to their benefit, allowing them to escape enemies and inclement conditions within the safe harbor of their domicile.

Snails and slugs can be both direct pests and shipping contaminants in plant production. Many snail species, once detected, can trigger quarantines in nurseries. A common species inducing this reaction is brown garden snail, *Cornu aspersum*, originally a European species, now established in many areas of North America.

50 ►

Even species that are not actionable by regulatory authorities can harm horticultural businesses. Close inspection of plant shipments, particularly those crossing state or international borders, can save a grower much expense and headache associated with a plant rejection, destruction, or treatment order.

Hunting for gastropods

Detection is a key principle of any pest management program. We all wish our quarry would lay prone in a clearing in broad daylight, but it usually doesn't work that way. Slugs and snails prefer darkness or dim light provided by evenings, or overcast or rainy days.

Slugs lurk in dark, moist places protected from the desiccating sun. Lift pots. Look under rims. Check debris piles, weed mats, and the edges of

fields. Going out at night to monitor snail and slug populations is a particularly effective way to find them.

Trapping is another option, either using commercial or homemade traps. We've all heard of the beer-baited traps gardeners often use. This is easy, but not always appropriate for a nursery setting.

We experimented with homemade traps, designed to fit between containers and protect the bait from moisture. They were loaded with either of two baits: a liquid metaldehyde/carbaryl combo bait, or a solid metaldehyde-only bait. The combo product captured slightly more slugs, especially when the weather was wet or post irrigation.

Look for other signs of activity. Slime is indisputable evidence of their presence. Gastropod grazing leaves

long, stringy fecal remains. Rasp-like feeding damage, particularly in the interior of a leaf versus the edge, distinguishes snail and slug damage from caterpillar feeding.

A good integrated pest management program involves a range of tactics.

Don't leave out the cultural side of control. Knowledge of the biology of snails and slugs enables one to understand their vulnerabilities and preferences.

Snails and slugs have basically one layer of epidermal cells to separate them from death by desiccation. Anything that can be done to enhance drying the surfaces where plants are kept can be useful. Timing of irrigation can have a major impact.

In research reported by Speiser and Hochstrasser (1998) on cabbage, leaf loss was compared in plots with evening irrigation and no treatment (40-60 percent); evening irrigation and snail bait (6-12 percent); and morning irrigation, no bait (6-12 percent).

Most snails and slugs are decomposers. Feeding them leaf debris and cuttings will increase their survival. Cultivation is very disturbing for slugs, tossing their world askew.

Physical barriers are used by both home and commercial producers. Wood ashes and diatomaceous earth deter slugs and snails, but only until the next irrigation or rain reduces their efficacy. A more permanent solution is the use of copper strips.

At least one large nursery in brown garden snail territory has wrapped their entire production facility with these copper strips. Yes, that is lots of pennies, but the cost is justified under certain levels of pressure.

Smaller areas can be treated, such as wrapping the legs of greenhouse benches. In Europe, copper-treated weed matting is used with similar repellent properties (as well as direct toxicity).

Biological control agents should be encouraged. Snakes, amphibians,

**Quality Bark Dust
@ Wholesale Prices**

**Fir Bark Dust • Hemlock • Sawdust
Compost • Hog Fuel • Fines**

Marr Bros. Bark Dust has been serving the area with quality products and competitive pricing for over 30 years. And we deliver anywhere in the Willamette Valley!

**When you want the best ...
Marr Bros. is your only choice!**

**Call 503-838-1830
to schedule a delivery**

Conveniently located at:
875 S. Pacific Hwy, Monmouth, Ore.

MB
Marr Bros. Bark



DIGGER Marketplace

Schurter Nursery


Arborvitae—Emerald green
Virescens
Boxwood
Japanese Maples
Otto Luyken
Skip Laurel
Various sizes & Varieties
503-932-8006

Motz & Son Nursery

Wholesale Growers of
SHADE & FLOWERING TREES
FRUIT TREES
Dwarf, Semi-Dwarf & Standard
COMBINATION FRUIT TREES (4 in 1)
Semi-Dwarf & Standard
ESPALIER APPLES
Semi-Dwarf, Combination & One Variety
WALNUTS & FILBERTS
DECIDUOUS SHRUBS
Write for our stock and price
11445 N.W. Skyline Blvd.
Portland, Oregon 97231
Phone 503-645-1342
FAX 503-645-6856

ADVERTISING DEADLINE

MAY 2



Contact:
Chris Sweet
csweet@oan.org
800-342-6401
503-582-2012



Baby Blue Spruce
blue is COOL
A&R SPADA FARMS
www.spadafarms.com

B&B Spruce - Fir - Pine
Chameacyparis - Poodle Pine
Japanese Maple

Cut Christmas Trees

Rickels'
Tree Farm LLC
(503) 630-4349
fax (503) 630-7542
PO Box 598 - Estacada. OR 97023



FRENCH PRAIRIE
SHADE TREES, INC.

Wholesale Growers of Quality
B&B Specimen Trees

(503) 792-4487 • FAX (503) 792-3667
SALES@FPSHADETTREES.COM
13744 Manning Rd. NE • Gervais, Oregon 97026

Kaufman Nursery

4'-10' grafted Blue Spruce
3'-8' upright Jap Maple
24"-42" wpg Jap Maple
1 1/2"-4" cal. Shade Trees
4'-7' Emerald Green Arbs
3'-6' Schip Laurel
18"-36" Otto Luyken
18"-36" Boxwoods & more

Silverton OR 503-873-3501

B-WEST HILLS NURSERY, INC.



Japanese Maples • Spruces
Pines • Cedars • Firs
Grafted Field Grown
Ornamentals

503-651-1217 • FAX 503-651-1218
bwesthillsnursery@gmail.com

McCONKEY
Legendary Service — Legendary Value
Formerly known as IFS® Irrigation Systems

Want EASY?
Want PROFITS?
Quantum is HERE!

AS LOW AS **\$195.00** mo

The Easiest BOOM To Use
Saves You Money. **866-868-1238**
www.quantumbooms.com

DIGGER Marketplace

SINCE
1908

WEEKS
berry nursery

6494 Windsor Island Rd N

Keizer, Oregon 97303

Strawberries
Raspberries
Blackberries
Grape Vines

503-393-8112
Fax: 503-393-2241
www.weeksberry.com
plants@weeksberry.com

Blueberries
Asparagus Roots
Rhubarb Roots
And Much More!



SMALL FRUIT SPECIALIST
The Very Finest Quality!

Call or Write Today!



▲ SLIME AND PUNISHMENT




Snails, such as this ordinary brown garden snail, can cause problems for homeowners and gardeners as well as production nurseries.

shrews, birds, predacious beetles and sciomyzid flies all have an effect on populations. Note that two commercially available natural enemies — a nematode, *Phasmarhabditis*, and the decollate snail — are not legal to use in the United States (except for the decollate snail in a small region of California).

Premier Supplier of Nursery Products



- **Shipping Materials** - Stickers, shelves and pallets made to your specs, pallet repair boards, shipping gates, tilt sticks, used pallets
- **Packing Supplies** - Shrink wrap, banding
- **Planting Stakes** - Multiple sizes available
- **Treated Lumber** - Multiple sizes available



503-434-5525

1726 SW Highway 18, McMinnville, OR 97218 • www.dstakemill.com

6152

Chemical control


Chemical control almost always comes into the equation at some point. Of the molluscides, as snail and slug pesticides are known, carbamates have shown to have the greatest effect on snails and slugs and still dominate our list of control options.

This includes the active ingredient, metaldehyde (used in bait formulations in the form of pellets, mini-pellets, coarse meal, and liquids). It is toxic both by contact and ingestion. It affects the cells involved in mucus production, leading to eventual dehydration and death. It works best in conditions when snails have been out feeding (warm periods with high humidity), followed by hot, dry weather. It breaks down rapidly in moisture or sunlight.

Snails and slugs might recover if wet conditions reduce their dehydration. In that event, bait aversion can occur. As animals like dogs are sensitive to this poison, colorants and bitter agents are added to reduce poisoning.

Methiocarb (Mesurol) is another carbamate used to control snails and slugs. It interferes with the nervous system. This molluscicide works better under cool, damp conditions but is a

Manage *more* with *less*...
with Soil Moist™



Nothing helps stretch budgets like Soil Moist Water Management Polymers and Mycorrhizal Products: to reduce water maintenance and plant stress, increase growth rates, improve soil porosity and do more with less... beautifully.

Available in the forms, formulas and customer blends you need, eco-safe Soil Moist granules, disks, tabs and spikes absorb water, then release it

gradually as soil dries. So each watering lasts up to 50% longer, for 3-5 years.

Whether it's original Soil Moist, Soil Moist Mycorrhizal for strong root development, or Soil Moist Plus nutrient blends, there's never been a better time to call for technical data and expert advice.

Distributed by:
Horizon Bellevue, WA • Jensen Distributing Spokane, WA
Wilbur-Ellis Co. Auburn, WA • Cascade Seed Spokane, WA

JRM Chemical, Inc.
4881 NEO Parkway, Cleveland, OH 44128
1-800-926-4010 • 216-475-8488 • fax: 216-475-6517
www.soilmoist.com



restricted-use pesticide.

Iron phosphate (Sluggo) has proven to have good efficacy against snails and slugs. They must ingest the bait, which causes immediate feeding inhibition. The poisoned animals generally crawl away and eventually succumb to starvation after several days. Treatment effectiveness is evaluated by damage reduction versus dead and dying carcasses. The product is less susceptible to moisture or sunlight, and has low mammalian toxicity.

Recently, researchers have worked with several botanical molluscicides to investigate their effect on amber snails. Limonene (Orange Guard) and a combo product with capsaicin and mustard oil (Dazitol) both showed high levels of activity with direct contact on the snails when evaluated 24 hours after application.

Repellent products are another option. There are registered products with garlic extract, cinnamon oil, and copper being used to repel gastropods. Development of products with anti-feedent activity is also in the works. Extracts from plants in Apiaceae and Chenopodiaceae are being investigated; extracts from neem plants may have activity as well as a sesquiterpene from *Artemisia* plants.

While the ultimate escape from slugs and snails is desert living, in our frequently moistened environment one generally must contend with a constant supply of these slithering slime bags. Appreciate our native snails and slugs in our forest, as they play an important role. But if compelled to slaughter the many exotic gastropods eating their way through your livelihood, use an integrated approach and you may just win this shell game. ☺

Robin Rosetta is an associate professor of horticulture with Oregon State University and the North Willamette Research and Extension Center in Aurora, Ore. She can be reached at 503-678-1264, ext. 133, or robin.rosetta@oregonstate.edu. Follow her on Twitter at @PNWNurseryIPM.



DIGGER Marketplace

SEVEN OAKS
NATIVE NURSERY LLC

- OVER 300 SPECIES GROWN FROM SEED
- HARD TO FIND NATIVES
- DROUGHT TOLERANT, HIGH ELEVATION
- QUAKING ASPEN SPECIALISTS
- HIGHEST QUALITY BAREROOT SEEDLINGS
- CONTAINERS FROM 4"-25 GALLON

'Roots to grow on'

PHONE: 541-757-6520 FAX: 541-738-2607
WWW.SEVENOAKSNATIVENURSERY.COM

Specimen Trees

Flowering & Shade Trees
Specializing in Quaking Aspen
& Wind-Breaking Poplars.

McPheeters Turf, Inc.

2019 SW Park Lane
Culver, Oregon 97734
541-546-9081
www.mcpheetersturf.com



 **Cascade Trees**

SPECIALIZING IN QUALITY
DECIDUOUS SPECIMEN TREES
& FRASER FIR CHRISTMAS TREES

17728 Butteville Rd. NE
Woodburn, OR 97071
503.982.4225 Fax 503.982.1534
email: sales@cascadetrees.com

Field Grown • B&B • Potted
Container Grown • Pot-in-Pot

OBERSINNER
NURSERY, Inc.

Quality Rhododendrons

Japanese Maples • Boxwood • Grafted Ornamentals
Assorted Broadleaves • Azaleas • Schipkaensis
Otto Luyken • Pieris • Daphne • Kalmia and More!

7886 N. Howell Rd NE • Silverton, OR
(503) 873-4004 • FAX (503) 873-2507
www.oberinnernursery.com

C&H Nursery

"Arborvitae"
"Arborvitae"
"Arborvitae"

Container and B & B

503.390.8486
Email: CHNursery@aol.com

HOSTETLER FARM DRAINAGE
503-266-3584

- Plastic Tubing 3"-24"
- Laser Grade Control
- Open Ditch for Buried Irrigation
- Plows and Trenches
- Pot-n-Pot Drainage
- Oldest Drainage Firm in Oregon
- Newest Subsurface Irrigation Techniques

 **Materials and Technical Assistance Available**

Canby, OR

DIGGER Marketplace